



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A23K 1/16, 3/00	A1	(11) International Publication Number: WO 99/04646 (43) International Publication Date: 4 February 1999 (04.02.99)
(21) International Application Number: PCT/EP98/04918 (22) International Filing Date: 17 July 1998 (17.07.98) (30) Priority Data: 9715908.1 28 July 1997 (28.07.97) GB (71) Applicant (for all designated States except US): VERDUGT B.V. [NL/NL]; Papesteeg 91, NL-4006 WC Tiel (NL). (72) Inventor; and (75) Inventor/Applicant (for US only): VAN OOIJEN, Johannes, Adrianus, Cornelis [NL/NL]; A.M.A. van Langeraadweg 7, NL-3381 LB Giessenburg (NL). (74) Agent: KRISHNAN, Suryanarayana, Kalyana; BP International Limited, Group Patents & Agreements, Chertsey Road, Sunbury-on-Thames, Middlesex TW16 7LN (GB).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: CHEMICAL COMPOSITION (57) Abstract <p>This invention relates to a composition suitable for use as an acidifier component of an animal feed, and comprises a solution of calcium chloride in formic acid such that the amount of calcium in said solution is greater than 5 % by weight and the pH value of the solution (10 % w/w) admixed with water (90 % w/w) is < 2.5. The present invention uses a relatively lower amount of acidifier such as formic acid than would otherwise be the case if a basic salt of calcium is used.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

CHEMICAL COMPOSITION

This invention relates to a chemical composition enriched in calcium and free carboxylic acid which is used as a feed component in animal feeds.

It is well known that acids and salts are an important component of animal feeds due to their inherent fungicidal, bactericidal and other preservative properties. Two such components are an organic carboxylic acid such as eg formic acid which has fungicidal and bactericidal activity and calcium which enhances the bone strength of the animals fed. Hitherto animal feeds have been prepared in which the calcium is introduced as solid calcium carbonate or slaked lime, along with the other feed components comprising grains/cereals, protein, animal/fish meal, vitamins and carboxylic acids. However, industry has more recently preferred the use of liquid animal feeds and preservatives which are easier to measure, mix and dispense than a diverse mixture of solid and liquid components. One of the problems with the latter is that such a feed does not retain sufficient amount of the carboxylic acid such as eg formic acid values in the feed for the desired anti-salmonella, fungicidal or bactericidal activity nor does it retain enough of the calcium in solution due to the relatively low solubility of such calcium salts. For instance, if a basic salt such as eg calcium carbonate or calcium hydroxide is dissolved in formic acid, the basic nature of the calcium compound neutralises the acid values of the composition and the inherent insolubility of the compound in water further diminishes the amount of calcium that can be incorporated in the animal feed. Thus, in conventional liquids produced by the above method, the amount of carboxylic (eg formic) acid can be about 10-80% by weight but the amount of calcium is only about 4-0.5% w/w. This is due to the low solubility of calcium carboxylates and the basic salts of calcium in the acids, such as eg formic acid, used in animal feeds.

In the prior art combinations of acids and salts have been disclosed but not in the context of the present invention. For instance, JP-A-91032993 describes the use of a preservative which is prepared by combining chitosan in a solution containing a chelate compound formed from (a) at least one of alkali earth metal, aluminium, iron and copper salts and (b) at least one organic acid which may be acetic and propionic acid. It is reported that chitosan decreases the polarity of the preservative used and increases the permeability thereof through the cellular membranes of microbes. The claimed preservative is said to be used in an amount of 0.8-3% in processed foods. There is no mention of formic acid or the use of acidifiers in animal feeds nor the more efficient use of acid values. Similarly, JP-A-60130346 describes a chitosan treatment process in which chitosan is immersed in aqueous solutions of salts of alkaline or alkaline earth metals and salts of organic acids including formic acid in order to form chitosan into a pulverised shape. There is no mention of using a combination of a calcium chloride with formic acid nor indeed the objectives, problems or solutions contemplated by the present invention.

It has now been found that such problems may be overcome by pre-forming a solution of a calcium compound in the carboxylic acid and using this preformed solution as a liquid feed component thereby enhancing the amount of acid as well calcium in the feed.

Accordingly, the present invention is a composition suitable for use as an acidifier component of an animal feed, said composition comprising a solution of calcium chloride in formic acid such that the amount of calcium in said solution is greater than 5% by weight and the pH value of the solution (10% w/w) admixed with water (90% w/w) is < 2.5 .

The calcium salt is calcium chloride which may be used as such or in its hydrated form such as eg a dihydrate.

Formic acid and the calcium chloride are mixed together in the appropriate proportions as desired in the animal feed. These components can be simply mixed by bringing into contact an amount of calcium chloride - which is wholly soluble in water - with formic acid and mixing the two components by eg stirring under ambient conditions. Formic acid is usually sold commercially as an 85% w/w aqueous solution. The advantage of the compositions of the present invention is that formic acid has a much lower dissociation constant and a much higher pK value than the corresponding inorganic acids such as carbonic, hydrochloric,

sulphuric and ortho-phosphoric acids. Thus, the formate ion cannot be displaced by the chloride ion from calcium chloride being of a much higher dissociation constant (K) and a much lower pK value. Hence, the chloride of calcium chloride does not consume or adversely affect the formate ions in the solution thereby enabling them to perform their respective functions in the animal feed. Thus, it is possible to generate formulations containing greater than 10% w/w of calcium and yet retaining a high formic acid value than hitherto possible.

To acidify a feed, normally a liquid formic acid is used. However, its effectiveness is decreased when this is used in conjunction with a calcium compound such as limestone as a source of calcium in the animal feed. In the present invention the liquid formic acid contains calcium ions and therefore a lesser amount of limestone can be used, if desired, in the animal feed. By adopting this method, formic acid is capable of having its full effect when added to such animal feeds.

Examples of typical acidified piglet diet will have the following components in % by weight:

	Barley meal	42.3
	Wheat feed	19.1
	Maize	10.0
20	Soya protein (45% CP)	15.3
	Fish meal	2
	Soya beans (heated)	5.0
	DL Methionine	0.10
	Dicalcium phosphate	1.2
25	Limestone	0.6
	Animal fat	3.0
	Vitamins Premix	0.5
	Salt	0.25
	Formic Acid (85%)	0.6
30	B-value*	11.5 ml

* B-value represents buffering capacity of the feed and is the amount mls of 0.1N HCl that is needed to reduce the pH of 10 g of feed in 100 ml of water at pH 5. When a solution of calcium in formic acid according to the present invention is used, the B- value is reduced to 8.0 ml.

The present invention is illustrated with reference to the following Examples:

Example 1:

A liquid composition was prepared by dissolving 5 grams of calcium chloride dihydrate in 7 grams of an aqueous solution of formic acid (85% w/w).

- 5 The pH value of a 10% w/w aqueous solution of the composition described above was 1.6. The calcium content of the composition was 11.35% w/w. The calcium remained in solution in the composition at temperatures below 10°C.

Example 2:

A liquid composition was prepared by dissolving 5 grams of calcium chloride dihydrate in 6 grams of an aqueous solution of formic acid (85% w/w) and 1 gram of propionic acid (99.7% w/w). The pH value of a 10% w/w aqueous solution of the composition described above was 1.6. The calcium content of the composition was 11.35% w/w. The calcium remained in solution in the composition at temperatures below 10°C.

15 **Example 3:**

A typical composition was prepared according to the invention and compared with a conventional (control) feed composition (both in % w/w) for its acidity using the same amount of formic acid. The results are tabulated below:

Component	Example 3 Feed (%)	Control Feed (%)
Maize	50	50
Wheat	30	30
Soya	15	15
Vitamin Premix	0.5	0.5
Calcium chloride	0.4	-
Formic Acid (85%)	0.6	0.6
Limestone	-	0.4
Monocalcium phosphate	0.5	0.5
pH (10% feed slurry in water)	5.15 (this value is not in %)	5.32 (this value is not in %)

20

The above results show that the formulations of the present invention have greater acidity for the same amount of acid if a solution of calcium chloride in the carboxylic acid is used instead of acid and limestone.

Claims:

1. A composition suitable for use as an acidifier component of an animal feed, said composition comprising a solution of calcium chloride in formic acid such that the amount of calcium in said solution is greater than 5% by weight and the pH value of the solution (10% w/w) admixed with water (90% w/w) is < 2.5 .
 - 5 2. A composition according to Claim 1 wherein formic acid is used as an aqueous solution thereof.
 3. A composition according to any one of the preceding Claims wherein calcium chloride is used as such or in its hydrated form.
 4. A composition according to any one of the preceding Claims wherein
10 formic acid and the calcium chloride are mixed together in the appropriate proportions as desired in the animal feed.
 5. A composition according to any one of the preceding Claims wherein formic acid and calcium chloride are mixed by bringing into contact an amount of calcium chloride with an aqueous solution of formic acid and mixing the two by
15 stirring under ambient conditions.
 6. A composition according to any one of the preceding Claims wherein formic acid is used as an 85% w/w aqueous solution.
 7. An animal feed composition comprising as diet the following components in % by weight:
- | | | |
|----|-----------------------|------|
| 20 | Barley meal | 42.3 |
| | Wheat feed | 19.1 |
| | Maize | 10.0 |
| | Soya protein (45% CP) | 15.3 |
| | Fish meal | 2 |
| 25 | Soya beans (heated) | 5.0 |

	DL Methionine	0.10
	Dicalcium phosphate	1.2
	Limestone	0.6
	Animal fat	3.0
5	Vitamins Premix	0.5
	Salt	0.25
	Formic Acid (85%)	0.6
	B-value	11.5 ml

wherein B-value represents buffering capacity of the feed and is the amount in
10 mls of 0.1N HCl that is needed to reduce the pH of 10 g of feed in 100 ml of water
at pH 5.

15

20

25

30

35

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 98/04918

A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A23K1/16 A23K3/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A23K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	PATENT ABSTRACTS OF JAPAN vol. 098, no. 002, 30 January 1998 -& JP 09 263477 A (DAIICHI SEIMO KK), 7 October 1997 see abstract ----	1-3
A	DATABASE WPI Section Ch, Week 8534 Derwent Publications Ltd., London, GB; Class C03, AN 85-206512 XP002085814 -& JP 60 130346 A (NIPPON SODA CO) , 11 July 1985 cited in the application see abstract ----- -/--	1

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"Z" document member of the same patent family

Date of the actual completion of the international search

26 November 1998

Date of mailing of the international search report

08/12/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Dekeirel, M

INTERNATIONAL SEARCH REPORT

I. International Application No.

PCT/EP 98/04918

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication where appropriate, of the relevant passages	Relevant to claim No.
A	US 3 901 976 A (ROTH HAROLD H ET AL) 26 August 1975 see column 5, line 27 - line 50 ---	1
A	GB 1 515 487 A (DEGUSSA) 28 June 1978 see claim 1 ---	1
A	EP 0 009 366 A (BP NUTRITION) 2 April 1980 see claim 10 ---	1
A	EP 0 219 997 A (BP CHEM INT LTD) 29 April 1987 see page 8, line 9 - line 28 see claims 1-3 ---	1,7
A	DE 37 33 080 A (KAHLBACHER ANTON) 14 April 1988 see example 1 see claims 1,5 ---	1
A	DATABASE WPI Section Ch, Week 8715 Derwent Publications Ltd., London, GB; Class A23, AN 87-105939 XP002085815 -& JP 62 054201 A (MITSUBISHI CHEM IND LTD), 9 March 1987 see abstract -----	1

INTERNATIONAL SEARCH REPORT

Information on patent family members

national Application No

PCT/EP 98/04918

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
US 3901976	A	26-08-1975	NONE	
GB 1515487	A	28-06-1978	DE 2613503 A	13-10-1977
			AT 350890 B	25-06-1979
			AT 217677 A	15-11-1978
			CH 627052 A	31-12-1981
			DK 138577 A	01-10-1977
			FI 770722 A,B,	01-10-1977
			FR 2345943 A	28-10-1977
			NL 7701583 A	04-10-1977
			SE 7703625 A	01-10-1977
EP 0009366	A	02-04-1980	AT 1266 T	15-07-1982
			DK 385979 A	15-03-1980
			IE 48633 B	03-04-1985
EP 0219997	A	29-04-1987	AU 582016 B	09-03-1989
			AU 6361486 A	16-04-1987
			CA 1289408 A	24-09-1991
			GR 3000535 T	31-07-1991
			IE 58895 B	01-12-1993
			JP 1966134 C	25-08-1995
			JP 6097950 B	07-12-1994
			JP 62126938 A	09-06-1987
			US 4824686 A	25-04-1989
DE 3733080	A	14-04-1988	AT 261886 A	15-09-1990